

b) the adhesive sheet being of a kind that is redetachable by pulling on the grip tab of the strip to stretch the strip in the direction of the bond plane,

wherein

cont  
B4

c) said surface, in the area immediately adjacent to said grip tab, has an average roughness  $R_a$  of 0.4-25  $\mu\text{m}$ .

Claim 2. Please cancel.

Claim 3 (amended). The device as claimed in claim 1, wherein said average roughness  $R_a$  is 2-20  $\mu\text{m}$ .

B5  
Claim 4 (twice-amended). The device as claimed in claim 1, wherein said surface area, immediately adjacent to said grip and having the average roughness  $R_a$ , has an average depth of roughness  $R_z$  of 1-150  $\mu\text{m}$ .

Claim 5 (twice-amended). The device as claimed in claim 1, wherein the area having the average roughness  $R_a$  is produced together with the device by injection molding, or is produced in a subsequent step by etching, grinding, embossing or spark erosion.

Claim 6 (twice-amended). The device as claimed in claim 4, wherein the width of the area having the average roughness  $R_a$  corresponds to or exceeds the width of the adhesive strip, and has a depth of 0.5-20 mm.

Claim 7 (amended). The device as claimed in claim 1, wherein the areas immediately adjacent to two opposite edges of said surface have said average roughness  $R_a$ .

b6  
Claim 8 (amended). The device as claimed in claim 1, further comprising spacers the heights of which are less than the thickness of the adhesive sheet strip.

Claim 9 (twice-amended). The device as claimed in claims 6 or 7, wherein said area or areas of said surface immediately adjacent to said edge or edges have a low static friction and low sliding friction surface.

Claim 10 (amended). The device as claimed in claim 1, wherein the adhesive sheet strip is elastically or plastically extensible with or without a carrier in between.

Claim 11 (amended). The device as claimed in claim 1, wherein the adhesion of the adhesive sheet strip is less than the cohesion, the adhesion largely disappears when the sheet is extended, and the ratio of peel force to tear load is at least 1:2.0, the adhesive sheet being based on thermoplastic rubber and tackifying resins, with high elasticity and low plasticity.

Claim 12 (twice-amended). The device as claimed in claim 1, wherein the surface of the adhesive sheet strip opposite the surface that is bonded to the surface of the device is lined with a release laminate or a release film.

Claim 16 (amended). The device of Claim 6, wherein said depth measures 0.5-15 mm.

b7  
Claim 18 (amended). The device of Claim 12, wherein said release laminate or release film is a siliconized release paper.

